


	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	417.6	207.0	349.5	155.6
1981	425.0	206.4	353.7	152.8
1982	424.2	208.3	337.7	151.9
1983	430.9	209.2	354.8	150.1
1984	439.6	210.9	355.4	151.1
1985	448.4	211.3	356.8	143.8
1986	451.0	211.8	366.5	150.9
1987	467.9	211.9	379.4	152.1
1988	463.6	212.6	370.4	153.1
1989	467.5	214.3	366.7	163.9
1990	481.4	214.9	397.2	153.0
1991	502.3	215.1	428.5	164.3
1992	510.0	213.5	446.6	161.7
1993	493.0	213.4	420.0	162.7
1994	482.7	211.7	403.3	159.7
1995	475.7	209.9	394.5	158.8
1996	477.3	207.0	385.7	150.3
1997	484.2	203.6	400.7	150.7
1998	485.5	200.8	416.3	162.9
1999	486.6	200.7	418.9	157.5
2000	480.2	198.6	392.6	150.4
2001	478.9	195.7	392.0	142.8
2002	471.4	193.5		142.2
2003				141.8
2004				138.5


Figure 1. Cancer (All Sites) Incidence and Mortality Rates*, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

Figure 1. Cancer (All Sites) Incidence and Mortality Rates*, Utah and United States 2000-2004.




Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population


	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	60.6	49.4	29.6	23.9
1981	62.0	50.0	31.9	23.2
1982	63.3	51.4	29.4	22.0
1983	63.4	52.4	34.3	23.6
1984	65.5	53.4	31.7	24.3
1985	64.6	54.3	30.8	21.4
1986	65.8	55.0	31.7	23.7
1987	67.9	56.2	32.4	25.1
1988	68.0	57.0	30.0	21.7
1989	67.6	57.9	28.3	27.3
1990	68.1	58.9	33.0	25.2
1991	69.2	59.0	32.2	26.6
1992	69.5	58.9	33.1	26.1
1993	67.7	59.1	34.0	29.7
1994	67.2	58.5	33.8	23.6
1995	66.8	58.4	31.7	25.3
1996	66.4	57.9	31.1	26.3
1997	66.6	57.5	31.9	23.8
1998	67.4	57.1	32.9	26.6
1999	65.6	55.4	34.3	26.7
2000	63.7	55.8	27.3	26.3
2001	62.7	55.2	29.5	23.0
2002	62.1	54.9		23.9
2003				24.2
2004				26.2

Figure 2. Lung Cancer Incidence and Mortality Rates*, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


Figure 2. Lung Cancer Incidence and Mortality Rates*, Utah and United States 2000-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	63.7	28.1	43.9	20.1
1981	64.2	27.5	45.2	19.5
1982	62.8	27.2	46.8	17.4
1983	63.6	27.1	43.7	17.0
1984	64.8	27.3	46.5	14.0
1985	66.2	26.9	48.3	17.5
1986	64.2	26.2	45.6	18.9
1987	62.7	25.9	42.5	16.8
1988	61.4	25.3	44.4	14.8
1989	61.7	25.0	45.8	17.6
1990	60.7	24.6	44.6	16.5
1991	59.4	24.0	45.2	19.0
1992	58.0	23.6	46.3	19.8
1993	56.8	23.3	40.6	15.1
1994	55.7	22.9	42.9	16.8
1995	54.0	22.6	41.9	19.4
1996	54.7	21.9	41.3	14.9
1997	56.3	21.5	40.9	15.6
1998	56.6	21.2	47.5	18.2
1999	55.3	20.9	43.1	16.4
2000	53.7	20.6	43.2	17.8
2001	52.7	20.1	37.6	13.5
2002	51.9	19.6		15.2
2003				14.2
2004				12.2

Figure 3. Colorectal Cancer Incidence and Mortality Rates*, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


Figure 3. Colorectal Cancer Incidence and Mortality Rates*, Utah and United States 2000-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	10.5	2.3	12.8	3.3
1981	11.1	2.4	13.2	2.7
1982	11.2	2.5	15.3	2.3
1983	11.1	2.5	15.9	3.5
1984	11.4	2.5	14.3	1.9
1985	12.7	2.6	16.5	1.8
1986	13.3	2.6	13.3	2.3
1987	13.7	2.6	17.0	2.4
1988	12.9	2.6	13.2	3.2
1989	13.7	2.7	14.3	2.3
1990	13.8	2.8	17.6	3.1
1991	14.6	2.7	18.8	4.2
1992	14.8	2.7	18.6	3.6
1993	14.5	2.7	17.0	3.0
1994	15.6	2.7	16.9	2.8
1995	16.3	2.7	18.2	3.3
1996	17.2	2.8	18.2	3.2
1997	17.6	2.7	20.0	2.5
1998	17.7	2.8	20.6	3.7
1999	18.0	2.6	21.8	3.1
2000	18.6	2.7	19.9	2.6
2001	19.3	2.7	21.0	3.1
2002	18.3	2.6		3.4
2003				3.5
2004				3.0

Figure 4. Melanoma Cancer Incidence and Mortality Rates*, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


Figure 4. Melanoma Cancer Incidence and Mortality Rates*, Utah and United States 2000-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population

	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	105.9	33.1	132.7	34.4
1981	108.8	33.2	135.2	36.2
1982	108.2	33.4	130.2	38.0
1983	111.6	33.9	127.4	39.7
1984	111.6	34.1	126.4	34.8
1985	115.4	33.9	142.8	31.3
1986	118.9	34.9	149.0	32.8
1987	133.5	35.1	139.9	33.4
1988	137.4	35.9	144.2	38.6
1989	145.3	37.1	141.2	42.3
1990	170.7	38.6	188.4	43.2
1991	214.5	39.3	249.2	42.3
1992	237.0	39.2	283.8	45.2
1993	209.2	39.3	227.8	37.8
1994	179.9	38.5	185.5	38.3
1995	168.5	37.3	160.2	42.5
1996	168.3	36.0	171.4	40.7
1997	172.5	34.2	194.9	38.5
1998	169.4	32.6	173.2	37.7
1999	181.3	31.6	189.4	32.7
2000	179.9	30.3	168.3	27.9
2001	180.8	29.1	176.2	29.6
2002	176.3	28.1		28.2
2003				27.1
2004				23.7


Figure 5. Prostate Cancer Incidence and Mortality Rates*, Among Men, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

Figure 5. Prostate Cancer Incidence and Mortality Rates*, Among Men, Utah and United States 2000-2004.




Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	102.1	31.7	83.4	27.1
1981	106.3	31.9	88.7	29.8
1982	106.4	32.2	84.8	25.9
1983	111.1	32.1	96.7	26.3
1984	115.8	32.9	100.9	25.2
1985	124.1	33.0	98.6	25.0
1986	126.7	32.9	111.8	26.2
1987	134.4	32.7	112.2	28.2
1988	131.3	33.2	110.9	29.1
1989	127.1	33.2	108.2	27.9
1990	131.6	33.1	110.0	27.2
1991	133.6	32.7	117.0	29.9
1992	131.9	31.6	109.2	27.3
1993	129.1	31.4	114.3	26.5
1994	130.7	30.9	114.7	26.7
1995	132.3	30.6	117.4	26.6
1996	133.4	29.5	111.0	24.8
1997	137.4	28.2	113.3	24.2
1998	140.8	27.5	125.7	27.3
1999	140.4	26.6	119.3	21.8
2000	135.3	26.6	120.1	22.7
2001	136.6	26.0	120.5	22.0
2002	132.9	25.5		23.9
2003				23.2
2004				22.6


Figure 6. Breast Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

Figure 6. Breast Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 2000-2004.




Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population


	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	12.2	4.5	11.1	1.4
1981	10.8	4.3	8.7	1.8
1982	10.6	4.1	6.2	3.3
1983	10.5	4.0	7.4	2.0
1984	11.0	3.9	6.6	2.0
1985	10.2	3.8	7.0	1.4
1986	10.8	3.8	8.3	1.6
1987	10.0	3.6	8.0	2.4
1988	10.6	3.6	9.6	2.4
1989	10.7	3.6	9.0	1.8
1990	10.7	3.7	8.9	2.5
1991	10.0	3.5	9.3	2.0
1992	9.9	3.5	11.8	3.2
1993	9.7	3.4	10.1	2.3
1994	9.4	3.4	7.3	3.4
1995	8.8	3.2	7.1	1.5
1996	9.6	3.2	8.3	2.4
1997	9.2	3.1	7.2	2.5
1998	9.1	3.0	7.1	1.1
1999	8.2	2.8	5.9	1.7
2000	7.6	2.8	6.4	2.2
2001	7.9	2.7	5.8	1.3
2002	7.2	2.5		1.6
2003				2.1
2004				1.3

Figure 7. Cervical Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population


Figure 7. Cervical Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 2000-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER
 *Rates are age adjusted to the 2000 U.S. standard population

	US Incidence	US Mortality	Utah Incidence	Utah Mortality
1980	15.4	9.3	17.2	6.1
1981	15.4	9.2	15.6	8.7
1982	15.6	9.2	11.7	9.7
1983	16.0	9.2	16.0	10.2
1984	16.3	9.1	16.3	10.2
1985	16.5	9.1	15.7	8.4
1986	15.0	9.2	14.2	8.2
1987	16.1	9.2	16.0	7.6
1988	15.3	9.3	14.1	9.6
1989	15.5	9.2	16.1	7.2
1990	15.4	9.3	16.4	10.1
1991	15.7	9.5	17.1	9.5
1992	14.9	9.5	18.3	9.5
1993	15.2	9.1	17.2	9.7
1994	14.4	9.4	18.7	12.1
1995	14.6	9.1	17.6	8.6
1996	14.1	8.9	15.1	9.1
1997	14.7	8.9	16.9	8.4
1998	14.2	8.7	17.7	10.3
1999	14.6	8.8	16.0	9.6
2000	14.1	8.9	16.4	7.1
2001	14.2	9.0	13.2	7.8
2002	13.3	9.0		8.2
2003				8.5
2004				9.3


Figure 8. Ovarian Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 1980-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

Figure 8. Ovarian Cancer Incidence and Mortality Rates*, Among Women, Utah and United States 2000-2004.



Source: Utah Cancer Registry; Utah Department of Health, Office of Vital Records and Statistics; SEER

*Rates are age adjusted to the 2000 U.S. standard population

Table 1: Average Annual Colorectal Cancer Incidence Rates, Mortality Rates‡,
and Percent of Cases Diagnosed at Late Stage*,
U.S., Utah, and Local Health Districts, 1998-2002**

	Incidence (New Cases)			Mortality (Deaths)			New Cancers Diagnosed with Late Stage Disease		
	Rate	CI		Rate	CI		Percent	CI	
U.S. (SEER)	54.0	53.6	54.4	20.5	20.4	20.6	57.5%	57.1%	57.9%
Utah	42.4	41.2	43.6	16.2	15.4	16.9	51.1%	48.9%	53.2%
Bear River LHD	45.4	40.5	50.7	18.9	15.6	22.1	47.4%	38.1%	57.0%
Central Utah LHD	41.9	35.2	49.5	16.1	11.8	20.4	54.1%	43.7%	64.2%
Davis County LHD	41.9	38.3	45.7	14.2	12.0	16.3	44.1%	37.0%	51.5%
Salt Lake County LHD	43.6	41.7	45.6	17.0	15.8	18.2	51.7%	48.4%	55.0%
Southeastern Utah LHD	37.6	30.6	45.7	14.6	10.0	19.1	58.3%	46.1%	69.6%
Southwest Utah LHD	39.6	35.1	44.5	14.3	11.6	17.1	43.1%	35.8%	50.7%
Summit County LHD	31.8	23.4	42.2	10.9	5.6	16.2	53.6%	23.9%	80.9%
Tooele County LHD	35.1	27.4	44.2	20.4	14.3	26.6	67.3%	51.1%	80.2%
TriCounty LHD	52.6	43.1	63.5	19.1	13.1	25.1	54.5%	39.4%	68.9%
Utah County LHD	38.3	35.5	41.2	15.9	14.1	17.7	59.5%	53.3%	65.5%
Wasatch County LHD	45.6	31.8	63.4	18.7	9.1	28.2	59.1%	32.3%	81.4%
Weber-Morgan LHD	44.1	40.1	48.4	14.2	11.9	16.5	47.9%	41.0%	54.9%

Source: Utah Department of Health, Office of Vital Records and Statistics; SEER

*Late stage defined as regional and distant, as a percent of all invasive cancer diagnoses, excluding unknowns.

**Average annual age-adjusted incidence rates per 100,000 population (2000 US standard).

‡Average annual age-adjusted mortality rates per 100,000 population (2000 U.S. standard).

Table 2: Average Annual Lung Cancer Incidence Rates, Mortality Rates‡, and
Percent of Cases Diagnosed at Late Stage*,
U.S., Utah, and Local Health Districts, 1998-2002**

	Incidence (New Cases)			Mortality (Deaths)			New Cancers Diagnosed with Late Stage Disease		
	Rate	CI		Rate	CI		Percent	CI	
		63.8	64.6		25.3	24.4		80.2%	80.9%
U.S. (SEER)	64.2	63.8	64.6	55.7	55.6	55.8	80.6%	80.2%	80.9%
Utah	30.8	29.8	31.8	25.3	24.4	26.3	81.8%	79.7%	83.7%
Bear River LHD	17.4	14.4	20.8	15.2	12.3	18.2	74.6%	60.1%	85.2%
Central Utah LHD	30.8	25.1	37.4	24.5	19.2	29.8	83.5%	70.1%	91.7%
Davis County LHD	28.7	25.7	31.9	23.4	20.7	26.1	83.8%	75.8%	89.5%
Salt Lake County LHD	33.1	31.4	34.8	26.1	24.6	27.6	82.4%	79.2%	85.2%
Southeastern Utah LHD	41.8	34.4	50.3	33.7	26.8	40.6	76.7%	64.0%	85.9%
Southwest Utah LHD	30.9	26.9	35.3	28.9	25.0	32.8	79.9%	72.3%	85.8%
Summit County LHD	33.0	24.4	43.6	22.1	14.6	29.6	65.0%	29.5%	89.2%
Tooele County LHD	46.8	37.9	57.2	40.2	31.6	48.8	85.1%	69.7%	93.4%
TriCounty LHD	44.5	35.8	54.6	38.8	30.2	47.3	82.7%	67.2%	91.8%
Utah County LHD	20.5	18.5	22.7	19.1	17.1	21.1	81.3%	72.9%	87.5%
Wasatch County LHD	30.4	19.4	45.4	22.3	11.8	32.8	75.0%	18.4%	97.6%
Weber-Morgan LHD	35.4	31.8	39.2	28.6	25.3	31.8	83.6%	77.5%	88.4%

Source: Utah Department of Health, Office of Vital Records and Statistics; SEER

*Late stage defined as regional and distant, as a percent of all invasive cancer diagnoses, excluding unknowns.

**Average annual age-adjusted incidence rates per 100,000 population (2000 US standard).

‡Average annual age-adjusted mortality rates per 100,000 population (2000 U.S. standard).

Table 3: Average Annual Female Breast Cancer Incidence Rates, Mortality Rates†, and Percent of Cases Diagnosed at Late Stage*, U.S., Utah, and Local Health Districts, 1998-2002**

	Incidence (New Cases)			Mortality (Deaths)			New Cancers Diagnosed with Late Stage Disease		
	Rate	CI		Rate	CI		Percent	CI	
		136.2	138.0		26.4	26.3		34.6%	35.3%
U.S. (SEER)	137.1	136.2	138.0	26.4	26.3	26.6	35.0%	34.6%	35.3%
Utah	120.2	117.3	123.1	23.5	22.2	24.7	37.5%	35.9%	39.2%
Bear River LHD	127.0	115.4	139.5	25.8	20.4	31.2	36.2%	29.4%	43.6%
Central Utah LHD	104.5	89.4	121.4	25.3	17.7	33.0	43.5%	34.5%	53.0%
Davis County LHD	117.2	108.7	126.2	24.6	20.7	28.6	37.5%	32.3%	43.0%
Salt Lake County LHD	126.0	121.4	130.7	23.3	21.3	25.2	36.5%	34.1%	39.1%
Southeastern Utah LHD	94.4	78.7	112.3	10.5	5.1	16.0	36.1%	26.4%	47.1%
Southwest Utah LHD	113.3	102.5	124.9	25.1	19.9	30.3	35.4%	29.4%	41.8%
Summit County LHD	122.3	98.1	150.7	25.1	13.6	36.6	44.3%	28.7%	61.1%
Tooele County LHD	101.0	82.4	122.5	23.1	13.9	32.4	36.4%	24.8%	49.7%
TriCounty LHD	124.3	103.8	147.7	21.3	12.3	30.3	39.3%	26.6%	53.7%
Utah County LHD	117.6	110.8	124.7	24.3	21.1	27.4	41.5%	36.6%	46.5%
Wasatch County LHD	95.9	67.3	132.5	16.4	3.6	29.2	29.6%	12.9%	54.5%
Weber-Morgan LHD	122.2	112.8	132.2	23.3	19.1	27.5	37.7%	32.5%	43.2%

Source: Utah Department of Health, Office of Vital Records and Statistics; SEER

*Late stage defined as regional and distant, as a percent of all invasive cancer diagnoses, excluding unknowns.

**Average annual age-adjusted incidence rates per 100,000 population (2000 US standard).

†Average annual age-adjusted mortality rates per 100,000 population (2000 U.S. standard).

Table 4: Average Annual Prostate Cancer Incidence Rates,
Mortality Rates‡,
and Percent of Cases Diagnosed at Late Stage*,**

	Incidence (New Cases)			Mortality (Deaths)		
	Rate	CI		Rate	CI	
		176.5	178.7		30.3	30.1
U.S. (SEER)	177.6	176.5	178.7	30.3	30.1	30.4
Utah	181.0	177.5	184.6	31.0	29.5	32.5
Bear River LHD	235.9	219.8	252.8	30.0	24.2	35.8
Central Utah LHD	143.1	125.5	162.4	35.8	26.8	44.9
Davis County LHD	193.4	182.5	204.8	35.0	30.3	39.7
Salt Lake County LHD	182.7	177.2	188.3	29.5	27.3	31.8
Southeastern Utah LHD	132.2	113.4	153.3	36.9	26.6	47.2
Southwest Utah LHD	183.8	169.9	198.5	28.4	22.9	34.0
Summit County LHD	133.8	109.3	162.1	23.6	12.8	34.4
Tooele County LHD	123.2	102.7	146.6	17.0	9.1	25.0
TriCounty LHD	183.5	158.1	211.9	37.5	25.6	49.4
Utah County LHD	192.6	183.7	201.8	37.8	33.9	41.8
Wasatch County LHD	190.9	150.1	239.4	57.1	33.5	80.7
Weber-Morgan LHD	160.5	149.7	171.9	25.4	21.0	29.8

Source: Utah Department of Health, Office of Vital Records and Statistics; SEER

**Average annual age-adjusted incidence rates per 100,000 population (2000 US standard).

‡Average annual age-adjusted mortality rates per 100,000 population (2000 U.S. standard).